= AXESS TRADING



EISEGRIP® Stainless steel drop down toilet rail options

Finish: Satin Stainless Steel (Powdercoating available to order)

Features: • Unique click in mechanism that allows the rail to remain safely in the up or down position

- Easy one hand motion to raise or lower rail without effort
- Engineered hub design gives smooth movement
- No cumbersome levers or knobs

AUTO HOLD DROP DOWN TOILET RAIL

TYPE T40


Code	Description
EGT40.S	Standard - Satin Finish
EGT40.S.TR	With Roll Holder
EGT40.S.NCL	With Nurse Call Provision (Left)
EGT40.S.NCR	With Nurse Call Provision (Right)






Design Options


Standard Model



With Roll Holder



With Nursecall



Left Hand


Communication Hardware Provisions


Nurse Call Provision





The Eisegrip® nursecall provision suits most communication hardware and is provided pre-threaded with pull through twine for easy wiring Please note: Communication hardware supplied by others.








- All T40 drop down toilet rails with nursecall provision are factory pre-threaded with pull-through twinefor easy wiring.
- The nursecall provision is pre drilled and threaded to suit most nursecall hardware and comes with screws.
- Consult your communications contractor for communication wiring wall outlets in the appropriate positions suitable for the T40 installation.


EISEGRIP® For floor mounted drop down toilet rails

POST FOR AUTO HOLD DROP DOWN TOILET RAIL


1 BOTT BY ABIB HOLD BROT BOWN TOTELT RATE		
Code	Description	
EGT41.S	Standard Post- Satin Finish	
Finish:	Satin Stainless Steel Electro polished for hygiene and long service life	
Features:	Any T40 Toilet Rail screws directly onto the post with 4 X M8 Set Screws.	








Dimensions for all wall mounted T40 installations.





Wall Bracket Hole Positions

Contact Axess Trading Customer Service

New South Wales

Victoria

Phone: 1300 720 672

Phone: 1300 138 086

www.axesstrading.com.au

